

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

Mr. Howell H. Michael General Manager Clinitex Medical Corporation 9801 Kincey Avenue, Suite 100 Huntersville, North Carolina 28078

DEC - 9 1997

Re: K973417.

Clinitex® Stockinette K973420 Clinitex® Cast Padding

Clinitex® Cast Padding Regulatory Class: I Product Code: LGF

Dated: September 9, 1997 Received: September 10, 1997

Dear Mr. Michael:

We have reviewed your Section 510(k) notification of intent to market the devices referenced above and we have determined these devices are substantially equivalent (for the indications for use stated in the enclosures) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the devices, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your devices are classified (see above) into either class II (Special Controls) or class III (Premarket Approval), they may be subject to such additional controls. Existing major regulations affecting your devices can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your devices in the Federal Register. Please note: this response to your premarket notification submission does

not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your devices as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your devices to legally marketed predicate devices results in a classification for your devices and thus, permits your devices to proceed to the market.

If you desire specific advice for your devices on our labeling regulation (21 CFR Part 801 and additionally 809.10 for <u>in vitro</u> diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your devices, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsmamain.html".

Sincerely yours,

Cellia M. Witten, Ph.D., M.D.

Director

Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosures

510(k) Number: <u>K973417</u>

Device Name: Clinitex Stockinette

Indications For Use: Clinitex® Stockinette is a tubular textile used to form the first protective layer (base) of an orthopedic cast below the cast padding and cast tape. The polyester material help repel water and dry rapidly.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of General Restorative Devices

510(k) Number __

Prescription Use ____ (Per 21 CFR 801.109)

OR

Over-The-Counter Use (Optional Format 1-2-96)